

## Theorems and Formulas Booklet

# Differential Equations Fall 2024

## Acknowledgments:

- The Theorems and Formulas Booklets records the contents for AS.110.302 Differential Equations and Applications at *Johns Hopkins University*.
- The notes summaries some contents, theorems, and formulas from the course as well as the textbook that is used:
  - Elementary Differential Equations and Boundary Value Problems by William E. Boyce, Richard C. Diprima, and Douglas B. Meade.
- The notes has been compiled and modified every term since Fall 2022 for PILOT by James Guo. It might contain minor typos or errors. Please point out any notable error(s).
- Typically, the instructor will be selecting chapter 7 or chapter 8 (but not both) on their discreet. Also, some sections might not be covered by the choice of the instructor. Please refer to the instructor of what materials is covered in that semester.

Best regards, James Guo. November 2024.

#### **Contents**

I	Prei	iminaries	1
	1.1	Classifications of Differential Equations	1
	1.2	Modeling Using ODEs	1
	1.3	Half Life Problems	1
2	Firs	t Order ODEs	1
	2.1	Integrating Factor	1

P**▲**LOT

2.6 Exactness Problem       2         3 Second Order ODEs       3         3.1 Linear Homogeneous Cases       3         3.2 Linear Independence       3         3.3 Existence and Uniqueness Theorem       3         3.4 Superposition Theorem       3         3.5 Abel's Formula       3         3.6 Reduction of Order       4         3.7 Non-homogeneous Cases       4         4 Higher Order ODEs       4         4.1 Existence and Uniqueness Theorem       4         4.2 Homogeneous Cases       4         4.3 Linear Independence       5         4.4 Abel's Formula       5         4.5 Non-Homogeneous Cases       5         5 System of First Order Linear ODEs       6         5.1 Solving for Eigenvalues and Eigenvectors       6         5.2 Linear Independence       6         5.3 Abel's Formula       6         5.4 Repeated Eigenvalues       6         5.5 Phase Portraits       7         5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability <td< th=""><th></th><th></th><th></th><th></th></td<>				
2.4 Autonomous ODEs       2         2.5 Logistic Population Growth       2         2.6 Exactness Problem       2         3 Second Order ODEs       3         3.1 Linear Homogeneous Cases       3         3.2 Linear Independence       3         3.3 Existence and Uniqueness Theorem       3         3.4 Superposition Theorem       3         3.5 Abel's Formula       3         3.6 Reduction of Order       4         3.7 Non-homogeneous Cases       4         4 Higher Order ODEs       4         4.1 Existence and Uniqueness Theorem       4         4.2 Homogeneous Cases       4         4.3 Linear Independence       5         4.4 Abel's Formula       5         4.5 Non-Homogeneous Cases       5         5 System of First Order Linear ODEs       6         5.1 Solving for Eigenvalues and Eigenvectors       6         5.2 Linear Independence       6         5.3 Abel's Formula       6         5.4 Repeated Eigenvalues       6         5.5 Phase Portraits       7         5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation<		2.2	Separable ODEs	1
2.5       Logistic Population Growth       2         2.6       Exactness Problem       2         3       Second Order ODEs       3         3.1       Linear Homogeneous Cases       3         3.2       Linear Independence       3         3.3       Existence and Uniqueness Theorem       3         3.4       Superposition Theorem       3         3.5       Abel's Formula       3         3.6       Reduction of Order       4         3.7       Non-homogeneous Cases       4         4.1       Existence and Uniqueness Theorem       4         4.2       Homogeneous Cases       4         4.3       Linear Independence       5         4.4       Abel's Formula       5         4.5       Non-Homogeneous Cases       5         5       System of First Order Linear ODEs       6         5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues and Eigenvectors       6         5.5       Phase Portraits       7         5.6       Fundamental Matrix       7 <td></td> <td>2.3</td> <td>Existence and Uniqueness</td> <td>2</td>		2.3	Existence and Uniqueness	2
2.6 Exactness Problem       2         3 Second Order ODEs       3         3.1 Linear Homogeneous Cases       3         3.2 Linear Independence       3         3.3 Existence and Uniqueness Theorem       3         3.4 Superposition Theorem       3         3.5 Abel's Formula       3         3.6 Reduction of Order       4         3.7 Non-homogeneous Cases       4         4 Higher Order ODEs       4         4.1 Existence and Uniqueness Theorem       4         4.2 Homogeneous Cases       4         4.3 Linear Independence       5         4.4 Abel's Formula       5         4.5 Non-Homogeneous Cases       5         5 System of First Order Linear ODEs       6         5.1 Solving for Eigenvalues and Eigenvectors       6         5.2 Linear Independence       6         5.3 Abel's Formula       6         5.4 Repeated Eigenvalues       6         5.5 Phase Portraits       7         5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability <td< td=""><td></td><td>2.4</td><td>Autonomous ODEs</td><td>2</td></td<>		2.4	Autonomous ODEs	2
3 Second Order ODEs         3           3.1 Linear Homogeneous Cases         3           3.2 Linear Independence         3           3.3 Existence and Uniqueness Theorem         3           3.4 Superposition Theorem         3           3.5 Abel's Formula         3           3.6 Reduction of Order         4           3.7 Non-homogeneous Cases         4           4 Higher Order ODEs         4           4.1 Existence and Uniqueness Theorem         4           4.2 Homogeneous Cases         4           4.3 Linear Independence         5           4.4 Abel's Formula         5           4.5 Non-Homogeneous Cases         5           5 System of First Order Linear ODEs         6           5.1 Solving for Eigenvalues and Eigenvectors         6           5.2 Linear Independence         6           5.3 Abel's Formula         6           5.4 Repeated Eigenvalues         6           5.5 Phase Portraits         7           5.6 Fundamental Matrix         7           5.7 Non-homogeneous Cases         8           6 Non-linear Systems         8           6.1 Linear Approximation         8           6.2 Autonomous Systems         9           6.3 Stabi		2.5	Logistic Population Growth	2
3.1 Linear Homogeneous Cases       3         3.2 Linear Independence       3         3.3 Existence and Uniqueness Theorem       3         3.4 Superposition Theorem       3         3.5 Abel's Formula       3         3.6 Reduction of Order       4         3.7 Non-homogeneous Cases       4         4 Higher Order ODEs       4         4.1 Existence and Uniqueness Theorem       4         4.2 Homogeneous Cases       4         4.3 Linear Independence       5         4.4 Abel's Formula       5         4.5 Non-Homogeneous Cases       5         5 System of First Order Linear ODEs       6         5.1 Solving for Eigenvalues and Eigenvectors       6         5.2 Linear Independence       6         5.3 Abel's Formula       6         5.4 Repeated Eigenvalues       6         5.5 Phase Portraits       7         5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate <td></td> <td>2.6</td> <td>Exactness Problem</td> <td>2</td>		2.6	Exactness Problem	2
3.2       Linear Independence       3         3.3       Existence and Uniqueness Theorem       3         3.4       Superposition Theorem       3         3.5       Abel's Formula       3         3.6       Reduction of Order       4         3.7       Non-homogeneous Cases       4         4.1       Existence and Uniqueness Theorem       4         4.2       Homogeneous Cases       4         4.3       Linear Independence       5         4.4       Abel's Formula       5         4.5       Non-Homogeneous Cases       5         5       System of First Order Linear ODEs       6         5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.2       Linear Independence       6         5.2       Linear Independence       6         5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues       6         5.5       Phase Portraits       7	3	Seco	ond Order ODEs	3
3.3       Existence and Uniqueness Theorem       3         3.4       Superposition Theorem       3         3.5       Abel's Formula       3         3.6       Reduction of Order       4         3.7       Non-homogeneous Cases       4         4       Higher Order ODEs       4         4.1       Existence and Uniqueness Theorem       4         4.2       Homogeneous Cases       4         4.3       Linear Independence       5         4.4       Abel's Formula       5         4.5       Non-Homogeneous Cases       5         5       System of First Order Linear ODEs       6         5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues       6         5.5       Phase Portraits       7         5.6       Fundamental Matrix       7         5.7       Non-homogeneous Cases       8         6       Non-linear Systems       8         6.1       Linear Approximation       8         6.2       Autonomous Systems       9         <		3.1	Linear Homogeneous Cases	3
3.4       Superposition Theorem       3         3.5       Abel's Formula       3         3.6       Reduction of Order       4         3.7       Non-homogeneous Cases       4         4       Higher Order ODEs       4         4.1       Existence and Uniqueness Theorem       4         4.2       Homogeneous Cases       4         4.3       Linear Independence       5         4.4       Abel's Formula       5         4.5       Non-Homogeneous Cases       5         5       System of First Order Linear ODEs       6         5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.2       Linear Independence       6         5.2       Linear Independence       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues       6         5.5       Phase Portraits       7         5.6       Fundamental Matrix       7         5.7       Non-homogeneous Cases       8         6       Non-linear Systems       8         6.1		3.2	Linear Independence	3
3.5       Abel's Formula       3         3.6       Reduction of Order       4         3.7       Non-homogeneous Cases       4         4       Higher Order ODEs       4         4.1       Existence and Uniqueness Theorem       4         4.2       Homogeneous Cases       4         4.3       Linear Independence       5         4.4       Abel's Formula       5         4.5       Non-Homogeneous Cases       5         5       System of First Order Linear ODEs       6         5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues       6         5.5       Phase Portraits       7         5.6       Fundamental Matrix       7         5.7       Non-homogeneous Cases       8         6       Non-linear Systems       8         6.1       Linear Approximation       8         6.2       Autonomous Systems       9         6.3       Stability       9         6.4       Limit Cycles       10         6.5       Conversio		3.3	Existence and Uniqueness Theorem	3
3.6       Reduction of Order       4         3.7       Non-homogeneous Cases       4         4       Higher Order ODEs       4         4.1       Existence and Uniqueness Theorem       4         4.2       Homogeneous Cases       4         4.3       Linear Independence       5         4.4       Abel's Formula       5         4.5       Non-Homogeneous Cases       5         5       System of First Order Linear ODEs       6         5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues       6         5.5       Phase Portraits       7         5.6       Fundamental Matrix       7         5.7       Non-homogeneous Cases       8         6       Non-linear Systems       8         6.1       Linear Approximation       8         6.2       Autonomous Systems       9         6.3       Stability       9         6.4       Limit Cycles       10         6.5       Conversion to Polar Coordinate       10         7		3.4	Superposition Theorem	3
3.7 Non-homogeneous Cases       4         4 Higher Order ODEs       4         4.1 Existence and Uniqueness Theorem       4         4.2 Homogeneous Cases       4         4.3 Linear Independence       5         4.4 Abel's Formula       5         4.5 Non-Homogeneous Cases       5         5 System of First Order Linear ODEs       6         5.1 Solving for Eigenvalues and Eigenvectors       6         5.2 Linear Independence       6         5.3 Abel's Formula       6         5.4 Repeated Eigenvalues       6         5.5 Phase Portraits       7         5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations:       11         7.3 Step Functions:       11         7.4 Impulse Functions:       12		3.5	Abel's Formula	3
4 Higher Order ODEs       4         4.1 Existence and Uniqueness Theorem       4         4.2 Homogeneous Cases       4         4.3 Linear Independence       5         4.4 Abel's Formula       5         4.5 Non-Homogeneous Cases       5         5 System of First Order Linear ODEs       6         5.1 Solving for Eigenvalues and Eigenvectors       6         5.2 Linear Independence       6         5.3 Abel's Formula       6         5.4 Repeated Eigenvalues       6         5.5 Phase Portraits       7         5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations:       11         7.3 Step Functions:       11         7.4 Impulse Functions       12		3.6	Reduction of Order	4
4.1       Existence and Uniqueness Theorem       4         4.2       Homogeneous Cases       4         4.3       Linear Independence       5         4.4       Abel's Formula       5         4.5       Non-Homogeneous Cases       5         5       System of First Order Linear ODEs       6         5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues       6         5.5       Phase Portraits       7         5.6       Fundamental Matrix       7         5.7       Non-homogeneous Cases       8         6       Non-linear Systems       8         6.1       Linear Approximation       8         6.2       Autonomous Systems       9         6.3       Stability       9         6.4       Limit Cycles       10         6.5       Conversion to Polar Coordinate       10         7       Laplace Transformation       10         7.1       Properties of Laplace Transformation:       10         7.2       Elementary Laplace Transformation:       11		3.7	Non-homogeneous Cases	4
4.1       Existence and Uniqueness Theorem       4         4.2       Homogeneous Cases       4         4.3       Linear Independence       5         4.4       Abel's Formula       5         4.5       Non-Homogeneous Cases       5         5       System of First Order Linear ODEs       6         5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues       6         5.5       Phase Portraits       7         5.6       Fundamental Matrix       7         5.7       Non-homogeneous Cases       8         6       Non-linear Systems       8         6.1       Linear Approximation       8         6.2       Autonomous Systems       9         6.3       Stability       9         6.4       Limit Cycles       10         6.5       Conversion to Polar Coordinate       10         7       Laplace Transformation       10         7.1       Properties of Laplace Transformation:       10         7.2       Elementary Laplace Transformation:       11	4	Higl	her Order ODEs	4
4.2       Homogeneous Cases       4         4.3       Linear Independence       5         4.4       Abel's Formula       5         4.5       Non-Homogeneous Cases       5         5       System of First Order Linear ODEs       6         5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues       6         5.5       Phase Portraits       7         5.6       Fundamental Matrix       7         5.7       Non-homogeneous Cases       8         6       Non-linear Systems       8         6.1       Linear Approximation       8         6.2       Autonomous Systems       9         6.3       Stability       9         6.4       Limit Cycles       10         6.5       Conversion to Polar Coordinate       10         7       Laplace Transformation       10         7.1       Properties of Laplace Transformations       11         7.2       Elementary Laplace Transformations       11         7.3       Step Functions       12 <tr< td=""><td></td><td>·</td><td></td><td>4</td></tr<>		·		4
4.3       Linear Independence       5         4.4       Abel's Formula       5         4.5       Non-Homogeneous Cases       5         5       System of First Order Linear ODEs       6         5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues       6         5.5       Phase Portraits       7         5.6       Fundamental Matrix       7         5.7       Non-homogeneous Cases       8         6       Non-linear Systems       8         6.1       Linear Approximation       8         6.2       Autonomous Systems       9         6.3       Stability       9         6.4       Limit Cycles       10         6.5       Conversion to Polar Coordinate       10         7       Laplace Transformation       10         7.1       Properties of Laplace Transformations       11         7.2       Elementary Laplace Transformations       11         7.3       Step Functions:       11         7.4       Impulse Functions       12 <td></td> <td>4.2</td> <td></td> <td>4</td>		4.2		4
4.4 Abel's Formula       5         4.5 Non-Homogeneous Cases       5         5 System of First Order Linear ODEs       6         5.1 Solving for Eigenvalues and Eigenvectors       6         5.2 Linear Independence       6         5.3 Abel's Formula       6         5.4 Repeated Eigenvalues       6         5.5 Phase Portraits       7         5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations       11         7.3 Step Functions:       11         7.4 Impulse Functions       12		4.3		5
5 System of First Order Linear ODEs       6         5.1 Solving for Eigenvalues and Eigenvectors       6         5.2 Linear Independence       6         5.3 Abel's Formula       6         5.4 Repeated Eigenvalues       6         5.5 Phase Portraits       7         5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations       11         7.3 Step Functions:       11         7.4 Impulse Functions       12		4.4	•	5
5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues       6         5.5       Phase Portraits       7         5.6       Fundamental Matrix       7         5.7       Non-homogeneous Cases       8         6       Non-linear Systems       8         6.1       Linear Approximation       8         6.2       Autonomous Systems       9         6.3       Stability       9         6.4       Limit Cycles       10         6.5       Conversion to Polar Coordinate       10         7       Laplace Transformation       10         7.1       Properties of Laplace Transformation:       10         7.2       Elementary Laplace Transformations:       11         7.3       Step Functions:       11         7.4       Impulse Functions       12		4.5		5
5.1       Solving for Eigenvalues and Eigenvectors       6         5.2       Linear Independence       6         5.3       Abel's Formula       6         5.4       Repeated Eigenvalues       6         5.5       Phase Portraits       7         5.6       Fundamental Matrix       7         5.7       Non-homogeneous Cases       8         6       Non-linear Systems       8         6.1       Linear Approximation       8         6.2       Autonomous Systems       9         6.3       Stability       9         6.4       Limit Cycles       10         6.5       Conversion to Polar Coordinate       10         7       Laplace Transformation       10         7.1       Properties of Laplace Transformation:       10         7.2       Elementary Laplace Transformations:       11         7.3       Step Functions:       11         7.4       Impulse Functions       12	5	Syst	tem of First Order Linear ODEs	6
5.2 Linear Independence       6         5.3 Abel's Formula       6         5.4 Repeated Eigenvalues       6         5.5 Phase Portraits       7         5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformations:       10         7.2 Elementary Laplace Transformations:       11         7.3 Step Functions:       11         7.4 Impulse Functions:       12		-		6
5.3 Abel's Formula       6         5.4 Repeated Eigenvalues       6         5.5 Phase Portraits       7         5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations:       11         7.3 Step Functions:       11         7.4 Impulse Functions       12				
5.4 Repeated Eigenvalues       6         5.5 Phase Portraits       7         5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations:       11         7.3 Step Functions:       11         7.4 Impulse Functions       12			•	
5.5       Phase Portraits       7         5.6       Fundamental Matrix       7         5.7       Non-homogeneous Cases       8         6       Non-linear Systems       8         6.1       Linear Approximation       8         6.2       Autonomous Systems       9         6.3       Stability       9         6.4       Limit Cycles       10         6.5       Conversion to Polar Coordinate       10         7       Laplace Transformation       10         7.1       Properties of Laplace Transformation:       10         7.2       Elementary Laplace Transformations       11         7.3       Step Functions:       11         7.4       Impulse Functions       12		5.4		
5.6 Fundamental Matrix       7         5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations       11         7.3 Step Functions:       11         7.4 Impulse Functions       12		5.5		7
5.7 Non-homogeneous Cases       8         6 Non-linear Systems       8         6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations       11         7.3 Step Functions:       11         7.4 Impulse Functions       12		5.6		7
6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations       11         7.3 Step Functions:       11         7.4 Impulse Functions       12		5.7		8
6.1 Linear Approximation       8         6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations       11         7.3 Step Functions:       11         7.4 Impulse Functions       12	6	Non	n-linear Systems	8
6.2 Autonomous Systems       9         6.3 Stability       9         6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations       11         7.3 Step Functions:       11         7.4 Impulse Functions       12				
6.3       Stability       9         6.4       Limit Cycles       10         6.5       Conversion to Polar Coordinate       10         7       Laplace Transformation       10         7.1       Properties of Laplace Transformation:       10         7.2       Elementary Laplace Transformations       11         7.3       Step Functions:       11         7.4       Impulse Functions       12			**	
6.4 Limit Cycles       10         6.5 Conversion to Polar Coordinate       10         7 Laplace Transformation       10         7.1 Properties of Laplace Transformation:       10         7.2 Elementary Laplace Transformations       11         7.3 Step Functions:       11         7.4 Impulse Functions       12				9
6.5 Conversion to Polar Coordinate107 Laplace Transformation107.1 Properties of Laplace Transformation:107.2 Elementary Laplace Transformations117.3 Step Functions:117.4 Impulse Functions12			•	
7.1 Properties of Laplace Transformation:107.2 Elementary Laplace Transformations117.3 Step Functions:117.4 Impulse Functions12				
7.1 Properties of Laplace Transformation:107.2 Elementary Laplace Transformations117.3 Step Functions:117.4 Impulse Functions12	7	Lanl	lace Transformation	10
7.2 Elementary Laplace Transformations117.3 Step Functions:117.4 Impulse Functions12	•			
7.3 Step Functions:       11         7.4 Impulse Functions       12				
7.4 Impulse Functions				
•			•	
/ <b>2</b>			•	12

8	Seri	es Solutions to Second-Order Linear Equations	12
	8.1	Power Series	12
	8.2	Ordinary Point	13
	8.3	Euler Equations	14
	8.4	Regular Singular Point	14
9	Numerical Methods		
	9.1	Euler's Method	15
	9.2	Generalization on Euler's Method	15



## 1 Preliminaries

#### 1.1 Classifications of Differential Equations

Differential equations can be classified by their properties:

- Ordinary Differential Equations (ODEs) involves ordinary derivatives  $(\frac{dy}{dt})$ , while Partial Differential Equations (PDEs) involves partial derivatives  $(\frac{\partial y}{\partial t})$ .
- Single equation involves one unknown and one equation, while System of equations involves multiple unknowns and multiple equations.
- The order of the differential equation is the order of the highest derivatives term.
- Linear differential equations has only linear dependent on the function, while non-linear differential equations has non-linear dependent on the function.

## 1.2 Modeling Using ODEs

ODEs can be used for modeling. During modeling, it follows the following steps:

- 1. Construction of the Models,
- 2. Analysis of the Models,
- 3. Comparison of the Models with Reality.

## 1.3 Half Life Problems

The physics model for half life indicates the relationship between half life ( $\tau$ ) of a substance of amount N(t) with initial amount  $N_0$  at a time t is:

$$N(t)=N_0\left(rac{1}{2}
ight)^{rac{t}{ au}}$$
 ,

where the rate of decay ( $\lambda$ ) and half life ( $\tau$ ) are related by:

$$\tau \times \lambda = \log 2$$
.

## 2 First Order ODEs

#### 2.1 Integrating Factor

For ODEs in form  $\frac{dy}{dt} + a(t)y = b(t)$ , the integrating factor is:

$$\mu(t) = \exp\left(\int a(t)dt\right).$$

## 2.2 Separable ODEs

For ODEs in form  $M(t) + N(y) \frac{dy}{dt} = 0$ , it can be separated by:

$$M(t)dt + N(y)dy = 0.$$

#### 2.3 Existence and Uniqueness

The existence and uniqueness for Initial Value Problem (IVP) depend on cases:

• For an IVP in simple form:

$$\begin{cases} \frac{dy}{dt} = a(t) + b(t), \\ y(t_0) = y_0. \end{cases}$$

If a(t) and b(t) are continuous on an interval  $[\alpha, \beta]$  and  $t_0 \in [\alpha, \beta]$ . Then, there exists a uniqueness solution y for  $[\alpha, \beta]$  to the IVP.

• For an IVP in general form:

$$\begin{cases} \frac{dy}{dt} = f(t, y), \\ y(t_0) = y_0. \end{cases}$$

For  $t_0 \in I = [a,b]$ ,  $y_0 \in J = [c,d]$ , if f(t,y) and  $\frac{\partial f}{\partial y}(t,y)$  are continuous on interval  $I \times J = [a,b] \times [c,d]$ . Then, there exists a unique solution on a smaller interval  $I' \times J' \subset I \times J$ .

#### 2.4 Autonomous ODEs

Autonomous ODEs are in form of:

$$\frac{dy}{dt} = f(y).$$

The stability (stable/semi-stable/unstable) of equilibrium can be determined by phase lines, *i.e.*, the zeros of the function f(t).

## 2.5 Logistic Population Growth

The logistic population growth model with population (y), growing rate (r), and carrying capacity (k) is given by:

$$\begin{cases} \frac{dy}{dt} = r\left(1 - \frac{y}{k}\right)y, \\ y(0) = y_0. \end{cases}$$

The solution for Logistic Population Growth is:

$$y(t) = \frac{ky_0}{(k - y_0)e^{-rt} + y_0}.$$

## 2.6 Exactness Problem

The condition for a function in form  $M(x,y) + N(x,y) \frac{dy}{dx} = 0$  to be exact is:

$$\frac{\partial N}{\partial x} = \frac{\partial M}{\partial y}.$$

For solving Exact ODEs, either finding  $\int M(x,y)dx + h(y)$  or  $\int N(x,y)dy + h(x)$  and taking partials again to fit gives the solution  $\Psi(x,y) = C$ .

For not exact cases, the integrating factor is:

$$\mu(t) = \exp\left(\int \frac{M_y - N_x}{N} dx\right)$$
 or  $\mu(t) = \exp\left(\int \frac{N_x - M_y}{M} dy\right)$ .



## 3 Second Order ODEs

#### 3.1 Linear Homogeneous Cases

Consider the linear homogeneous ODE:

$$y'' + py' + qy = 0.$$

Its characteristic equation is:

$$r^2 + pr + q = 0.$$

With solutions  $r_1$  and  $r_2$ , the general solution is:

$$y(t) = c_1 e^{r_1 t} + c_2 e^{r_2 t}.$$

If the solutions  $r_1$  and  $r_2$  are complex, by Euler's Formula ( $e^{it} = \cos t + i \sin t$ ), it can be written as  $r_1 = \lambda + i\beta$  and  $r_2 = \lambda - i\beta$ , then the solution is:

$$y(t) = c_1 e^{\lambda t} \cos(\beta t) + c_2 e^{\lambda t} \sin(\beta t).$$

If the solutions  $r_1$  and  $r_2$  are repeated, the solution is:

$$y(t) = c_1 e^{rt} + c_2 t e^{rt}.$$

#### 3.2 Linear Independence

To form a fundamental set of solutions, the solutions need to be linearly independent, in which the Wronskian (*W*) must be non-zero, meaning that:

$$W[y_1, y_2] = \det \begin{pmatrix} y_1 & y_2 \\ y_1' & y_2' \end{pmatrix}.$$

#### 3.3 Existence and Uniqueness Theorem

Consider IVP in form:

$$\begin{cases} y'' + p(t)y' + q(t)y = g(t), \\ y(t_0) = y_1, y'(t_0) = y_2. \end{cases}$$

The interval I containing  $t_0$  has p(t), q(t), and g(t) continuous on it. Then, there is a unique solution y(t) and twice differentiable on the interval I.

## 3.4 Superposition Theorem

If  $y_1(t)$  and  $y_2(t)$  are solutions to l[y] = 0, then the solution  $c_1y_1(t) + c_2y_2(t)$  are also solutions for all constants  $c_1, c_2 \in \mathbb{R}$ .

#### 3.5 Abel's Formula

Consider the equation y'' + py' + qy = 0, the Wronskian for the solutions are:

$$W[y_1, y_2] = C \exp\left(-\int p dt\right),\,$$

where C is independent of t but depends on  $y_1$  and  $y_2$ .



#### 3.6 Reduction of Order

For non-linear second order homogeneous ODEs, when one solution  $y_1(t)$  is given, the other solution is in form:

$$y_2(t) = u(t) \times y_1(t).$$

#### 3.7 Non-homogeneous Cases

Let the differential equation be:

$$Ay''(t) + By'(t) + Cy(t) = g(t),$$

where g(t) is a smooth function. Let  $y_1(t)$  and  $y_2(t)$  be the two homogeneous solutions, then the non-homogeneous cases can be solved by the following approaches:

• Undetermined Coefficient: A guess of particular solution will be made based on the terms appearing in the non-homogeneous part, or g(t). Some brief strategies are:

Non-homogeneous	Guess	
Polynomials:	$\sum_{i=0}^d a_i t^i$	$\sum_{i=0}^{d} C_i t^i$
Trig. Functions:	sin(at) and $cos(at)$	$C_1\sin(ax) + C_2\sin(ax)$
Exponential Function	ons: $e^{at}$	Ce <sup>at</sup>

Note that the guess are additive and multiplicative. Moreover, if the non-homogeneous part is already appearing in the homogeneous solutions, an extra t needs to be multiplied on the non-homogeneous case.

• Variation of Parameters: The particular solution is:

$$y_p = y_1(t) \int \frac{-y_2(t) \times g(t)}{W} dt + y_2(t) \int \frac{y_1(t) \times g(t)}{W} dt.$$

## 4 Higher Order ODEs

#### 4.1 Existence and Uniqueness Theorem

For higher order IVP in form:

$$\begin{cases} y^{(n)} + P_{n-1}(t)y^{(n-1)} + \dots + P_1(t)y' + P_0(t)y = g(t), \\ y(t_0) = y_0, \ y'(t_0) = y_1, \ \dots, y^{(n-1)}(t_0) = y_{n-1}. \end{cases}$$

If  $P_0(t)$ ,  $P_1(t)$ ,  $\cdots$ ,  $P_{n-1}(t)$ , and g(t) are continuous on an interval I containing  $t_0$ . Then there exists a unique solution for y(t) on I.

## 4.2 Homogeneous Cases

The higher order homogeneous ODEs are in form:

$$y^{(n)} + a_{n-1}y^{(n-1)} + \dots + a_1y' + a_0y = 0.$$

By computing the characteristic equation:

$$r^{n} + a_{n-1}r^{n-1} + \dots + a_{1}r + a_{0} = 0.$$



With solutions  $r_1, r_2, \dots, r_n$ , the general solution is:

$$y(t) = c_1 e^{r_1 t} + c_2 e^{r_2 t} + \dots + c_n e^{r_n t}.$$

Note that the complex solutions can still be converted to sines and cosines, while repeated roots multiply a *t* on the repeated solutions.

## 4.3 Linear Independence

To obtain the fundamental set of solutions, the Wronskian (W) must be non-zero, where Wronskian is:

$$W[y_1, y_2, \cdots, y_n] = \det egin{pmatrix} y_1 & y_2 & \cdots & y_n \ y'_1 & y'_2 & \cdots & y'_n \ dots & dots & \ddots & dots \ y_1^{(n)} & y_2^{(n)} & \cdots & y_n^{(n)} \end{pmatrix}.$$

• Alternation to the Wronskian: By definition of linear independence,  $f_1, f_2, \dots, f_n$  are independent on I is equivalent to the expression where  $k_1f_1 + k_2f_2 + \dots + k_nf_n = 0$  if and only if  $k_i = 0$ .

#### 4.4 Abel's Formula

For higher order ODEs in the form of:

$$\begin{cases} y^{(n)} + P_{n-1}(t)y^{(n-1)} + \dots + P_1(t)y' + P_0(t)y = g(t), \\ y(t_0) = y_0, \ y'(t_0) = y_1, \ \dots, y^{(n-1)}(t_0) = y_{n-1}. \end{cases}$$

Its Wronskian is:

$$W[y_1, y_2, \cdots, y_n] = Ce^{\int P_{n-1}(t)dt},$$

where *C* is independent of *t* but depend on  $y_1, y_2, \dots, y_n$ .

## 4.5 Non-Homogeneous Cases

Let the differential equation be:

$$L[y^{(n)}(t), y^{(n-1)}(t), \cdots, y(t)] = g(t),$$

where g(t) is a smooth function. Let  $y_1(t)$ ,  $y_2(t)$ ,  $\cdots$ ,  $y_n(t)$  be all homogeneous solutions, then the non-homogeneous cases can be solved by the following approaches:

• Undetermined Coefficient: Same as in degree 2, a guess of particular solution will be made based on the terms appearing in the non-homogeneous part, or g(t). Some brief strategies are:

Non-homogeneous	Guess	
Polynomials:	$\sum_{i=0}^d a_i t^i$	$\sum_{i=0}^{d} C_i t^i$
Trig. Functions:	sin(at) and $cos(at)$	$C_1\sin(ax) + C_2\sin(ax)$
Exponential Function	ns: $e^{at}$	Ce <sup>at</sup>

Note that the guess are additive and multiplicative. Moreover, if the non-homogeneous part is already appearing in the homogeneous solutions, an extra t needs to be multiplied on the non-homogeneous case.



• Variation of Parameters: The particular solution is:

$$y_p = y_1(t) \int \frac{W_1 g}{W} dt + y_2(t) \int \frac{W_2 g}{W} dt + \cdots + y_n(t) \int \frac{W_n g}{W} dt,$$

where  $W_i$  is defined to be the Wronskian with the *i*-th column alternated into  $\begin{pmatrix} 0 \\ \vdots \\ 0 \\ 1 \end{pmatrix}$ .

## 5 System of First Order Linear ODEs

#### 5.1 Solving for Eigenvalues and Eigenvectors

For a given first order linear ODE in form:

$$\mathbf{x}' = A\mathbf{x}$$

the eigenvalues can be found as the solutions to the characteristic equation:

$$\det(A - Ir) = 0,$$

and the eigenvectors can be then found by solving the linear system that:

$$(A - Ir) \cdot \boldsymbol{\xi} = \mathbf{0}.$$

The solution to the ODE is:

$$\mathbf{x} = c_1 \boldsymbol{\xi}^{(1)} e^{r_1 t} + c_2 \boldsymbol{\xi}^{(2)} e^{r_2 t} + \dots + c_n \boldsymbol{\xi}^{(n)} e^{r_n t}.$$

## 5.2 Linear Independence

Let the solutions form the fundamental matrix  $\Psi(t)$ , thus the Wronskian is:

$$\det (\Psi(t))$$
.

The system is linearly independent if the Wronskian is non-zero.

## 5.3 Abel's Formula

For the linear system in form:

$$\mathbf{x}' = A\mathbf{x}$$
.

the Wronskian can be found by the trace of A, which is the sum of the diagonals, that is:

$$W = Ce^{\int \operatorname{trace} Adt} = Ce^{\int (A_{1,1} + A_{2,2} + \dots + A_{n,n})dt}.$$

#### 5.4 Repeated Eigenvalues

For repeated eigenvalue r with only one eigenvector, if a given a solution is  $\mathbf{x}^{(1)} = \boldsymbol{\xi} e^{rt}$ , the other solution would be:


$$\mathbf{x}^{(2)} = \boldsymbol{\xi} t e^{rt} + \boldsymbol{\eta} e^{rt},$$

where  $(A - Ir) \cdot \eta = \xi$ .


#### 5.5 Phase Portraits

In particular, we can sketch the linear system of  $\mathbb{R}^2$  in terms of phase portraits given the eigenvalues and eigenvectors.


• For a node graph, we have it as (directions might vary):



• For a spiral/center graph, we have it as (directions might vary):



• For repeated eigenvalues, the solution depends is (directions might vary):



### 5.6 Fundamental Matrix

The exponential of Matrix is defined to be:

$$\exp(tA) = I + \sum_{n=1}^{\infty} \frac{(tA)^n}{n!},$$

where  $A^n$  is the result of n square matrices of A multiplying themselves.

The special case of fundamental matrix is defined to be  $\boldsymbol{\Phi}$  where:

$$\begin{cases} \Phi' = A \cdot \Phi_I \\ \Phi(0) = I, \end{cases}$$



so that the fundamental matrix  $\Phi$  can be calculated by:

$$\Phi(t) = \Psi(t) \cdot \Psi^{-1}(0).$$

### 5.7 Non-homogeneous Cases

Let the differential equation be:

$$\mathbf{x}'(t) - A\mathbf{x}(t) = \mathbf{g}(t),$$

where  $\mathbf{g}(t)$  is a smooth vector-valued function. Let  $\phi$  be its fundamental matrix, then the non-homogeneous cases can be solved by the following approaches:

- Diagonalization: Diagonalization utilizes T as the matrix of eigenvectors and D as the diagonal matrix of eigenvalues. Accordingly, let  $\mathbf{x} = T\mathbf{y}$ .
  - Then,  $\mathbf{x}' = T\mathbf{y}' = AT\mathbf{y} + \mathbf{g} = TD\mathbf{y} + \mathbf{g}$ , which means that  $\mathbf{y}' = D\mathbf{y} + T^{-1}\mathbf{g}$  and the differential equation is now degenerated.
- Undetermined Coefficient: Same as in single equations, a guess of particular solution will be made based on the terms appearing in the non-homogeneous part, or  $\mathbf{g}(t)$ . Some brief strategies are:

Non-homogeneous Componen	Guess	
Polynomials:	$\sum_{i=0}^d \mathbf{a_i} t^i$	$\sum_{i=0}^d \mathbf{c_i} t^i$
Trig. Functions: $\mathbf{a_1} \sin(b_1 t)$ and	$\mathbf{a_2}\cos(b_2t)$	$\mathbf{c_1}\sin(b_1x) + \mathbf{c_2}\sin(b_2x)$
Exponential Functions:	$\mathbf{a}e^{bt}$	$\mathbf{c}e^{bt}$

Note that the guess are additive and multiplicative. Moreover, if the non-homogeneous part is already appearing in the homogeneous solutions, an extra t needs to be multiplied on the non-homogeneous case.

• Variation of Parameters: Variation of parameters utilizes that:

$$\Psi \cdot \mathbf{u}' = \mathbf{g}$$

where this equation can be solved by:

$$u_i' = \frac{W_i}{\det(\Psi)},$$

where  $W_i$  is defined by the Wronskian of the matrix replacing the *i*-th column with  $\mathbf{g}(t)$ .

There, the particular solution is:

$$\mathbf{x}_p = \Psi \cdot \mathbf{u}$$
.

## 6 Non-linear Systems

#### 6.1 Linear Approximation

For non-linear system  $\mathbf{x}' = \binom{F}{G}\mathbf{x}$ , if  $F, G \in C^2$ , i.e. locally linear, the approximation at critical point  $(x_0, y_0)$  is:

$$\begin{pmatrix} x - x_0 \\ y - y_0 \end{pmatrix} = \mathbf{J}(x_0, y_0) \cdot \begin{pmatrix} x - x_0 \\ y - y_0 \end{pmatrix},$$

where Jacobian is:

$$\mathbf{J}(x_0, y_0) = \begin{pmatrix} F_x(x_0, y_0) & F_y(x_0, y_0) \\ G_x(x_0, y_0) & G_y(x_0, y_0) \end{pmatrix}.$$



#### 6.2 Autonomous Systems

When 
$$\mathbf{x} = \begin{pmatrix} F(y) \\ G(x) \end{pmatrix}$$
, it can be solved implicitly for: 
$$\frac{dy}{dx} = \frac{G(x)}{F(y)}.$$

## 6.3 Stability

For linearized system with 2 eigenvalues  $r_1$ ,  $r_2$ , the following applies:

- 1. If  $r_1, r_2 \in \mathbb{R}$  and  $r_1 \neq r_2$ :  $r_1 < r_2 < 0$  indicates an asymptotically stable node,  $r_1 < 0 < r_2$  indicates a mostly unstable saddle, and  $0 < r_1 < r_2$  indicates an unstable node. Note that these will not change for the non-linear case.
- 2. If  $r_1 = r_2$ :  $r_1 = r_2 < 0$  indicates a asymptotically stable node and  $r_1 = r_2 > 0$  indicates an unstable node. The stability preserves but the shape either node or spiral.
- 3. If  $r_1, r_2 \in \mathbb{C}$  and  $\text{Re}(r_1) = \text{Re}(r_2) \neq 0$ :  $\text{Re}(r_1) = \text{Re}(r_2) > 0$  indicates an unstable spiral and  $\text{Re}(r_1) = \text{Re}(r_2) < 0$  indicates an asymptotically stable spiral. Note that these will not change for the non-linear case.
- 4. If  $r_1, r_2 \in \mathbb{C}$  and  $\text{Re}(r_1) = \text{Re}(r_2) = 0$ : That indicates a stable center. In the non-linear case, the shape is either spiral or center, but the stability is in-determinant.

The stability can be concluded as follows:

Eigenvalues	Linear System		Nonlinear System			
Ligenvalues	Type	Stability	Type	Stability		
	Eigenvalues are $\lambda_1$ and $\lambda_2$					
$0 < \lambda_1 < \lambda_2$ Node Unstable		Node	Unstable			
$\lambda_1 < \lambda_2 < 0$	Node	Asymptotically	Node	Asymptotically		
		Stable		Stable		
$\lambda_1 < 0 < \lambda_2$	Saddle Point	Unstable	Saddle Point	Unstable		
$\lambda_1 = \lambda_2 > 0$	Node	Unstable	Node or Spiral	Unstable		
			Point			
$\lambda_1 = \lambda_2 < 0$	Node	Asymptotically	Node or Spiral	Asymptotically		
		Stable	Points	Stable		
Eigenvalues are $\lambda_1=\alpha+\mathrm{i}\beta$ and $\lambda_2=\alpha-\mathrm{i}\beta$						
$\alpha > 0$	Spiral Point	Unstable	Spiral Point	Unstable		
$\alpha = 0$	Center	Stable	Center or	Indeterminate		
			Spiral Point			
$\alpha < 0$	Spiral Point	Asymptotically	Spiral Point	Asymptotically		
		Stable		Stable		



## 6.4 Limit Cycles

A closed trajectory or periodic solution repeats back to itself with period  $\tau$ :

$$\begin{pmatrix} x(t+\tau) \\ y(t+\tau) \end{pmatrix} = \begin{pmatrix} x(t) \\ y(t) \end{pmatrix}.$$

Closed trajectories with either side converging to/diverging from the solution is a limit cycle.

#### 6.5 Conversion to Polar Coordinate

A Cartesian coordinate can be converted by:

$$\begin{cases} x = r \cos \theta, \\ y = r \sin \theta, \\ rr' = xx' + yy', \\ r^2\theta' = xy' - yx'. \end{cases}$$

For a linear system  $x = \begin{pmatrix} F(x,y) \\ G(x,y) \end{pmatrix}$  with  $F,G \in C^1$ :

- 1. A closed trajectory of the system must enclose at least 1 critical point.
- 2. If it only encloses 1 critical point, then that critical point cannot be saddle point.
- 3. If there are no critical points, there are no closed trajectories.
- 4. If the unique critical point is saddle, there are no trajectories.
- 5. For a simple connected domain D in the xy-plane with no holes. If  $F_x + G_y$  had the same sign throughout D, then there is no closed trajectories in D.

## 7 Laplace Transformation

#### 7.1 Properties of Laplace Transformation:

The Laplace Transformation of a function f is defined as:

$$\mathcal{L}{f(t)} = F(s) = \int_0^\infty e^{-st} f(t) dt$$

Note that Laplace Transformation can be used on non-continuous functions by utilizing step functions. Laplace Transformation has the following properties:

1. Laplace Transformation is a linear operator:

$$\mathcal{L}{f + \lambda g} = \mathcal{L}{f} + \lambda \mathcal{L}{g}$$

2. Laplace Transformation for derivatives:

$$\mathcal{L}\{f'(t)\} = s\mathcal{L}\{f(t)\} - f(0),$$

$$\mathcal{L}\{f''(t)\} = s^2\mathcal{L}\{f(t)\} - sf(0) - f'(0),$$

$$\vdots$$

$$\mathcal{L}\{f^{(n)}(t)\} = s^n F(s) - s^{n-1} f(0) - \dots - f^{(n-1)}(0).$$



## 3. First Shifting Theorem:

$$\mathcal{L}\{e^{ct}f(t)\} = F(s-c).$$

The Laplace Transformations can be used for solving IVP, where the inverse helps to find the original function prior to transformation.

## 7.2 Elementary Laplace Transformations

The Laplace Transformations for elementary functions are given in the following table, note that they can still be calculated by its definition:

$f(t) = \mathcal{L}^{-1}\{F(s)\}$	$F(s) = \mathcal{L}\{f(t)\}$
1	$\frac{1}{s}$ , $s > 0$
$e^{at}$	$\frac{1}{s-a}, s > a$
$t^n$ , $n \in \mathbb{Z}_{>0}$	$\frac{n!}{s^{n+1}}, s > 0$
sin(at)	$\frac{a}{s^2 + a^2}, s > 0$
$\cos(at)$	$\frac{s}{s^2 + a^2}, s > 0$
sinh(at)	$\frac{a}{s^2 - a^2}, s > 0$
$\cosh(at)$	$\frac{s}{s^2 - a^2}, s > 0$
f(ct)	$\frac{1}{c}F\left(\frac{s}{c}\right)$

## 7.3 Step Functions:

The step functions are defined by:

$$u_c(t) = u(t - c) = \begin{cases} 0, & t < c, \\ 1, & t \ge c. \end{cases}$$

And the Laplace Transformations of the step function is:

$$\mathcal{L}\{u_c(t)\}=\frac{e^{-cs}}{s}.$$



The step function forms the Second Shifting Theorem:

$$\mathcal{L}\{u_c(t)f(t-c)\} = e^{-cs}F(s).$$

## 7.4 Impulse Functions

The idealized unit impulse function  $\delta(t)$ , or *Dirac delta function*, satisfies the properties that:

$$\delta(t) = 0$$
 for  $t \neq 0$  and  $\int_{-\infty}^{\infty} \delta(t)dt = 1$ .

There is no ordinary function satisfying the idealized unit impulse function, so it is a generalized function. A unit impulse at an arbitrary point  $t = t_0$ , denoted by  $\delta(t - t_0)$ , follows that:

$$\delta(t) = 0 \text{ for } t \neq t_0$$
 and  $\int_{-\infty}^{\infty} \delta(t - t_0) dt = 1.$ 

The Laplace Transformation of the impulse function is:

$$\mathcal{L}\{\delta(t-c)\} = e^{-cs}.$$

#### 7.5 Convolution

The convolution of f and g, denoted (f \* g), is defined as:

$$(f*g)(t) = \int_0^t f(t-\tau)g(\tau)d\tau = \int_0^t f(\tau)g(t-\tau)d\tau.$$

The convolution f \* g has many of the properties of ordinary multiplication:

- 1. Commutativity: f \* g = g \* f;
- 2. Distributivity: f \* (g + h) = f \* g + f \* h;
- 3. Associativity: (f \* g) \* h = f \* (g \* h);
- 4. Zero Property: f \* 0 = 0 \* f = 0, where 0 is a function that maps any input to 0.

The Laplace Transformation of the convolution of *f* and *g* is:

$$\mathcal{L}\{(f*g)(t)\} = F(s)G(s).$$

## 8 Series Solutions to Second-Order Linear Equations

#### 8.1 Power Series

A power series is an infinite series in the form:

$$\sum_{n=0}^{\infty} a_n (x-c)^n = a_0 + a_1 (x-c) + a_2 (x-c)^2 + \cdots,$$

where  $a_n$  is the coefficient for term n and c is the center of the approximation.

A power series  $\sum_{n=0}^{\infty} a_n (x - x_0)^n$  converge at a point x if:

$$\lim_{N\to\infty}\sum_{n=0}^N a_n(x-x_0)^n \text{ exists for that } x.$$

A power series *converges pointwise* on X if it converges on every  $x \in X$ .



A power series converges absolutely at a point x if the power series:

$$\sum_{n=0}^{\infty} |a_n(x - x_0)^n| = \sum_{n=0}^{\infty} |a_n| |x - x_0|^n \text{ converges.}$$

Note that absolute converges implies convergence, but the converse is not true. Here are some properties of series:

1. (Ratio test). If  $a_n \neq 0$ , and if for a fixed value of x, and:

$$\lim_{n \to \infty} \left| \frac{a_{n+1}(x - x_0)^{n+1}}{x_n(x - x_0)^n} \right| = |x - x_0| \lim_{n \to \infty} \left| \frac{a_{n+1}}{a_n} \right| = |x - x_0| L,$$

then the power series converges absolutely at x if  $|x - x_0|L < 1$  and diverges if  $|x - x_0|L > 1$ .

- 2. (Monotonic property). If the power series  $\sum_{n=0}^{\infty} a_n (x-x_0)^n$  converges at  $x=x_1$ , then it converges absolutely for  $|x-x_0| < |x_1-x_0|$ . If it diverges at  $x=x_1$ , then it diverges for  $|x-x_0| > |x_1-x_0|$ .
- 3. (Radius of convergence). Let  $\rho > 0$  be such that  $\sum_{n=0}^{\infty} a_n (x x_0)^n$  converges absolutely for  $|x x_0| < \rho$  and diverges for  $|x x_0| > \rho$ , then  $\rho$  is the *radius of convergence* and  $(x_0 \rho, x_0 + \rho)$  is the *interval of convergence*.

Also, we note that power series can be added or subtracted term-wise. They can also be multiplied and divided by having divisions of terms.

Recall that by Taylor theorem, suppose  $f \in \mathcal{C}^{\infty}$ , then we can form the Taylor polynomial as a power series, with coefficient:

$$a_n = \frac{f^{(n)}(x_0)}{n!}.$$

In particular, if f has a Taylor polynomial at  $x_0$  with a positive radius of convergence, we say the series is analytic at  $x_0$ .

#### 8.2 Ordinary Point

Here, we are thinking of the second order homogeneous differential equation, namely:

$$P(x)\frac{d^2y}{dx^2} + Q(x)\frac{dy}{dx} + R(x)y = 0.$$

Additionally, we suppose that P, Q, and R are polynomials and have no factor common factor (x - c). Thus, we have  $P(x_0) \neq 0$  being an ordinary point. When  $P(x_0) = 0$ , it is a singular point (or pole).

When we generalize, we will have:

$$\frac{d^2y}{dx^2} + p(x)\frac{dy}{dx} + q(x)y = 0,$$

where p and q are any functions. Similarly, consider  $x_0$  where both p and q are analytic,  $x_0$  is *ordinary*, otherwise, it is *singular*. Here, we say p(x) has singularity of a pole at  $x_0$  of order n if:

$$(x-x_0)^n p(x)$$
 is analytic at  $x_0$ .



Assuming absolute convergence, one can apply the derivative operator on the sequence, that is:

$$\frac{d}{dx} \left[ \lim_{N \to \infty} \sum_{n=0}^{N} a_n (x - x_0)^n \right] = \lim_{N \to \infty} \left[ \frac{d}{dx} \sum_{n=0}^{N} a_n (x - x_0)^n \right] = \lim_{N \to \infty} \sum_{n=1}^{N} a_n n (x - x_0)^{n-1}.$$

Often, we we apply the derivative operator, we will notice some *recurrence relation*, that is the successive coefficients can be evaluated one by one.

In particular, when we have a power series:

$$\varphi(x) = \sum_{n=0}^{\infty} a_n (x - x_0)^n,$$

by taking the *m*-th derivative and evaluating it at 0, we will have:

$$\frac{d^m \varphi}{dx^m}(x_0) = m! a_m.$$

#### 8.3 Euler Equations

In the section, we go back to the focus of:

$$P(x)y'' + Q(x)y' + R(x)y = 0$$

where *P*, *Q*, *R* are polynomials with no common factors.

For the Euler's equation, we consider the differential equation in the form:

$$x^2y'' + \alpha xy' + \beta y = 0.$$

Then,  $|x|^r$  is a solution to the above differential equation if r is a solution to  $r(r-1) + \alpha r + \beta = 0$ .

Let  $r_1, r_2$  be the roots of  $r(r-1) + \alpha r + \beta = 0$ , then the solution to the differential equation can be represented by:

• When  $r_1, r_2 \in \mathbb{R}$  and  $r_1 \neq r_2$ , then:

$$y(x) = c_1 |x|^{r_1} + c_2 |x|^{r_2}.$$

• When  $r_1, r_2 \in \mathbb{R}$  and  $r := r_1 = r_2$ , then:

$$y(x) = c_1|x|^r + c_2 \log |x| \cdot |x|^r$$
.

• When  $r_1, r_2 = \lambda + i\mu \in \mathbb{C}$  and  $\mu \neq 0$ , then:

$$y(x) = c_1 |x|^{\lambda} \cos \left(\mu \log |x|\right) + c_2 |x|^{\lambda} \sin \left(\mu \log |x|\right).$$

## 8.4 Regular Singular Point

Now, we want to research on the case when  $x_0$  is a regular singular point, that is for equation:

$$y'' + p(x)y' + q(x)y = 0,$$

and  $x_0$  satisfies that:

- 1.  $x_0$  is a singular point, and
- 2. p(x) has a pole of order 1 and q(x) has a pole of order no more than 2.



A singular point that is not regular is a irregular singular point.

Without loss of generality, we may horizontally shift the equation to obtain that x = 0 is a regular singular point. Then, we may write:

$$xp(x) = \sum_{n=0}^{\infty} p_n x^n$$
 and  $x^2 q(x) = \sum_{n=0}^{\infty} q_n x^n$ 

on some interval  $|x| < \rho$  within the radius of convergence. Hence, we may multiply  $x^2$  on both side, giving us that:

$$x^2y'' + x\underbrace{\left(xp(x)\right)}_{\tilde{p}(x)}y' + \underbrace{\left(x^2q(x)\right)}_{\tilde{q}(x)}y = 0,$$

in which  $\tilde{p}$  and  $\tilde{q}$  are analytic at x = 0. Then, we will be able to Euler Equations to solve for the differential equation with respect to  $\tilde{p}$  and  $\tilde{q}$ .

### 9 Numerical Methods

#### 9.1 Euler's Method

The numerical approximation focuses on first-order initial value problem:

$$\begin{cases} \frac{dy}{dt} = f(t, y), \\ y(t_0) = y_0. \end{cases}$$

By the *Existence and Uniqueness Theorem*, a unique solution exists for some rectangular region containing  $(t_0, y_0)$  when f and  $\frac{\partial f}{\partial y}$  are continuous. With this foundation, we may apply Euler's method on such region. (*Note that* out of the region, the approximation would not be accurate.)

Euler's method recursively applies the following function:

$$y_{n+1} = y_n + f(t_n, y_n)(t_{n+1} - t_n), \quad n = 0, 1, 2, \cdots,$$

and when the steps are constrained to be a constant h, we have:

$$y_{n+1} = y_n + hf(t_n, y_n), \quad n = 0, 1, 2, \cdots$$

Typically, Euler's method incurs error, whereas some typical issues are:

- 1. When the step size h is too big, the error is significant.
- 2. When the step size h is too small, the cost of calculation is expensive.
- 3. The computation does address the asymptotic behaviors.
- 4. When the vector field has steep components, the approximation differs more.

#### 9.2 Generalization on Euler's Method

Euler's method can be analyzed by using the Fundamental Theorem of Calculus, that is:

$$y(t) = y(t_n) + \int_{t_n}^{t} f(s, y(s)) ds$$
  
 
$$\approx y(t_n) + \sum_{t_0 < t_i < t_{i+1} < t} f(t_i, y_n) (t_{i+1} - t_i),$$



in which we may establish the improved Euler's Method, by:

$$y_{n+1} = y_n + h\left(\frac{f(t_n, y_n) + f(t_{n+1}, y_n + hf(t_n, y_n))}{2}\right),$$

by considering the trapezoid approach for Riemann sum.

Since the f(t,y) depends only on t and not on y, then solving differential equation reduced from y' = f(t,y) to integrating f(t), which makes the improved Euler's Method into:

$$y_{n+1} = y_n + \frac{h}{2} (f(t_n) + f(t_n + h)).$$