

We hope that your second midterm was smooth and successful. For this week, we will explore deeper into the linear systems as well as special cases in linear system, *i.e.*, complex or zero eigenvalues. Alias, lets explore further on what eigenvalues represent and the geometries behind it.

Clubs & Orgs Bulletin

Promote your club! https://forms.gle/V19BipzLyuAaWMyz8

HopAI: Interested in AI? Join HopAI! HopAI is JHU's leading AI community, hosting workshops, speaker events, and hackathons. Our biweekly GBMs are at 7 PM in Hackerman B17come learn, build, and connect! Follow us on LinkedIn (https://tinyurl.com/hopArtificialIntelligence) to see when the next GBM is.

Tip of the Week

All Things Go is one of the biggest music festivals in the DC/Baltimore areathe annual fall event is known for its women-centric lineups and support of LGBTQ+ artists, making it a popular weekend trip for Hopkins students every year. The 2025 lineup drops soon, so head to @allthingsgo on IG to see how you can get tickets!

1. (Linear System versus Second Order). Let an initial value problem for linear system on $x_1 := x_1(t)$ and $x_2 := x_2(t)$ be defined as follows:

$$\begin{cases} x_1' = 3x_1 - 2x_2, & x_1(0) = 3, \\ x_2' = 2x_1 - 2x_2, & x_2(0) = \frac{1}{2}. \end{cases}$$

- (a) Solve for the *general solution* for the linear system by considering $\mathbf{x} = (x_1, x_2)$.
- (b) Transform the *general system* into a single equation of second order. Then solve the second-order equation. Eventually, convert your solution of one variable back to the *general solution* to $x_1(t)$ and $x_2(t)$.
- (c) Find the particular solution using the initial conditions, then graph the parameterized curve on a x_1x_2 -plane with $t \ge 0$.

2. (A "Big" Matrix). Let $\mathbf{x} = (x_1, x_2)$ satisfy the following differential equation.

$$\mathbf{x}' = \begin{pmatrix} \frac{1}{42} & \frac{1}{21} \\ \frac{1}{14} & \frac{1}{21} \end{pmatrix} \cdot \mathbf{x}.$$

Hint: Think about the *geometric* interpretation of eigenvalues and eigenvectors and try to *simplify* the matrix. (*Otherwise, the computation is hard.*)

3. (Repeated Eigenvalue). This problem investigates the case for repeated eigenvalues. First, we let the matrix $A \in \mathbb{R}^{2 \times 2}$ be:

$$A = \begin{pmatrix} 2 & 1 \\ -1 & 0 \end{pmatrix}.$$

Here, we define the *algebraic multiplicity* of an eigenvalue as its multiplicity as a root to the characteristic polynomial, and the *geometric multiplicity* is the dimension of the eigenspace.

- (a) Find the eigenvalue and its corresponding eigenvector. State their multiplicities.
- (b) Find a the general solution to $\mathbf{x}' = A \cdot \mathbf{x}$, where $\mathbf{x} = (x_1, x_2)$.

Then, we consider the diagonal *n*-by-*n* matrices, that is matrices with entries only on the diagonal, which can be characterized as:

$$D = \begin{pmatrix} a_1 & 0 & \cdots & 0 \\ 0 & a_2 & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & a_n \end{pmatrix} \in \mathbb{R}^{n \times n}.$$

- (c)* Show that the eigenvalues are exactly a_1, \dots, a_n , and the algebraic multiplicity is exactly the same as geometric multiplicity for all eigenvalues.
- (d) Consider the linear system $\mathbf{x}' = D \cdot \mathbf{x}$ for $\mathbf{x} = (x_1, x_2, \dots, x_n)$. Explain why do not have to find the eigenvalues in this case.

4. (Zero Eigenvalue). Let a system of $\mathbf{x} = (x_1, x_2)$ be defined as:

$$\mathbf{x}' = \begin{pmatrix} -3 & -6\\ 1 & 2 \end{pmatrix} \cdot \mathbf{x}.$$
tors for $\begin{pmatrix} -3 & -6\\ \end{pmatrix}$

(a) Find the eigenvalues and eigenvectors for $\begin{pmatrix} -3 & -6 \\ 1 & 2 \end{pmatrix}$.

- (b) Give a full set of solutions to the differential equation. Plot some trajectory on the x_1x_2 -plane.
- (c)* Let *A* be an arbitrary square matrix. Show that *A* is non-invertible if and only if *A* has zero as an eigenvalue.

Note: Please avoid using the definition that the determinant is the product of all eigenvalues. Moreover, consider the geometric implication of eigenvalue to account for invertibility.